

Notice of Allowability	Application No.	Applicant(s)	
	10/750,477	NARINI ET AL.	
	Examiner Paula L. Craig	Art Unit 3761	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 9/25/2006.
2. The allowed claim(s) is/are 1,10 and 11.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee. Authorization for this examiner's amendment was given in a telephone interview with Mr. Dennis Drehkoff on January 31, 2007.

2. **In the specification, page 1, line 2, before "Field of the Invention" insert**
--This application claims the benefit of priority to U.S. Provisional Application No. 60/437,444 filed January 2, 2003--.

3. **In Claim 1, line 6, replace "adapted for receiving a body part or limb" with**
--dimensioned and configured for receiving a body part or limb through said bag body and into said containment space--.

4. **In Claim 1, line 10, replace "space" with --space, said means for accessing being separate from the opening--**

5. **In Claim 1, line 16, replace "walls" with:**
--walls and prevent collapse of the fluid containment device when the tubular inflatable chambers are inflated;

further including a means for draining fluids captured within said containment space;

wherein said inner membrane of said bag walls includes an inner surface, said inner surface facing said containment space; and

said inner surface including a plurality of dimples, said dimples being integral with said inner membrane and protruding into said containment space, said dimples being dimensioned and configured such that when said tubular inflatable chambers are deflated and said bag body is collapsed onto itself voids are formed between said bag walls, said voids forming drainage pathways for any entrapped fluids in said containment space--.

6. **Cancel Claims 2 and 9.**
7. **In Claim 10, line 2, replace "including" with --includes--.**
8. **In Claim 11, line 2, replace "including" with --includes--.**

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paula L. Craig whose telephone number is (571) 272-5964. The examiner can normally be reached on 8:30AM-4:00PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on (571) 272-1115. The fax phone

Art Unit: 3761

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Paula L Craig
Examiner
Art Unit 3761

PLC

TATYANA ZALUKAEVA
SUPERVISORY PRIMARY EXAMINER

